AUTHOR INDEX, VOLUME XLVII

Bailey, F. E., Jr.: See Callard, R. W.
Baker, C. W., and Shields, D.J.: Polymerization of vinyl monomers stabilized with *p*-methoxyphenol, 498
Barker, R. E., Jr., and Moulton, W.G.: Irradiation effects in Lexan, 175
Bianchi, U., and Cuniberti, C.: Volume effects in polymer solutions, 484
Boone, C. J.: See Liang, C. Y.
Borchert, A. E.: See Overberger, C. G.
Bovey, F. A.: Polymer NSR spectroscopy. V. The effect of zinc chloride on the free radical polymerization of methyl methacrylate, 480
——, see Tiers, G.V.D.
Burton, R. L.: see Heffelifinger, C. J.
Caldwell, J. R.: see Hill, E. H.
Callard, R. W., Bailey, F. E., Jr., and Lundberg, R. D.: A design for an "all-glass" osmometer, 507
Casassa, E. F.: see Eisenberg, H.
Chapman, C. B.: Determination of tacticity constants from hydrolytic measurements, 529
Chatani, Y.: On the chain configuration of poly-*m*-methylstyrene, 491
Climie, I. E., and White, E.F.T.: The aggregation of random and block copolymers containing acrylonitrile in mixed solvents, 149
Combs, R. L.: see Guillet, J. E.
Coover, H. W., Jr.: see Guillet, J. E.
Cox, R. A.: The influence of ionic strength on the viscosity of ribonucleic acid and other polyelectrolytes, 441
Cuniberti, C.: see Bianchi, U.
Delmas, G., and Patterson, D.: A note on polymer solution phase relationships using the Guggenheim thermodynamics, 513
Di Giacomo, A.: Size distribution and gelation in condensation polymers with one unsymmetric reactant, 435
Dunphy, J. F., and Marvel, C. S.: Reactivity ratios of vinyl 2-chloroethyl ether in cationic copolymerization with vinyl alkyl ethers and *para*-substituted α-methylstyrenes, 1
Dyer, E., and Osborne, D. W.: The thermal degradation of a polythiolcarbamate, 349
——, and ——, The synthesis of polythiolcarbamates, 361
Edge, G. D.: see Moore, W. R.
Eirich, F. R.: see Eliassaf, J.
Eisenberg, H., and Casassa, E. F.: Aqueous solutions of salts of poly(vinylsulfonic acid), 29
Eliassaf, J., Eriksson, F., and Eirich, F. R.: The interaction of poly(vinyl pyrrolidone) with cosolutes, 193
Ericksen, J. L.: A vorticity effect in anisotropic fluids, 327
Eriksson, F.: see Eliassaf, J.
Field, N.D.: Poly(*p*-dioxene), 517
Fixman, M.: Osmotic pressure and dimensions in moderately concentrated polymer solutions, 91
Fontana, C. M., and Osborne, R. J.: Mechanism of stereospecific polymerization for the Ziegler-Natta catalyst system, 522
Gamble, L. W.: Apparatus for microscopic study of polymerization catalyst, 518
Geil, P. H.: Morphology of an acetal resin, 65
Gooberman, G.: Ultrasonic degradation of polystyrene. Part III. The molecular weight distributions of degraded fractions, 229
Goode, W. E., Owens, F. H., and Myers, W.L.: Crystalline acrylic polymers. II. Mechanism studies, 75
Guillet, J. E., Combs, R. L., Slonaker, D. F., and Coover, H. W., Jr.: Chromatographic fractionation of polyethylene, 307
Ham, J. S.: Relationship of the step height in single crystals to the periodicity observed in solid polymers, 496
Heffelfinger, C. J., and Burton, R. L.: X-ray determination of the crystallite orientation distributions of polyethylene terephthalate films, 289
Heller, W., and Pugh, T. L.: "Steric" stabilization of colloidal solutions by adsorption of flexible macromolecules, 203
——, Wada, E., and Papazian, L. A.: Macromolecular shape from light scattering in streaming solutions, 481
——: see Pugh, T. L.
Hill, E. H., and Caldwell, J. R.: Interpolymerization of acrylonitrile and vinylidene chloride in *tert*-butyl alcohol, 397
Hodgdon, R.B.: Anhydrous lithium perchlorate as an intiator of vinyl polymerization, 259
Hsiao C. C.: Finite deformation and tensile strength of polystyrene and polyethylene solids, 251
Ikeda Y.: see Ohnishi S.-I.
Inoue, M., and Takayanagi, T.: Kinetics of bulk crystallization in polyoxymethylene, 498
Iwakura, Y. and Sakamoto, M.: Polyaddition reaction of polymethylene bis-*N*,*N*-ethyleneurethane and polymethylene dimercaptan, 277
Jenkins, R. L.: see Stone, B. D.
Johnson, W. R., and Price, C. C.: Shear degradation of vinyl polymers in dilute

solution by high-speed stirring (*erratum*), 541
Katchman, A.: See Overberger, C. G.
Kertesz, Z. I.: see Skinner, E. R.
Khoury, F. and Padden, F. J., Jr.: On the growth habits of twinned crystals of polyethylene, 455
Kline, D. E.: Dynamic mechanical properties of polymerized epoxy resins, 237
Kovacic, P., and Wu, C.: Reaction of ferric chloride with benzene, 45
Lebovits, A., and Teach, W. C.: An anomaly in the molecular weight of polystyrene at extremely low conversions, 527
Lee, H. T. and Levi, D. W.: Dilute solustion study of poly(*n*-lauryl methacrylate in an ideal solvent, 449
Levi, D. W.: see Lee, H. T.
Liang, C. Y., Lytton, M. R., and Boone, C. J.: Infrared spectra of crystalline and stereoregular polymers. II. Carbon–hydrogen and carbon–deuterium stetching frequencies of polypropylene and deuterated polypropylenes, 139
Lundberg, R. D.: see Callard, R. W.
Lyness, W. I.: see McKeown, J. J.
Lytton, M. R.: see Liang, C. Y.
McKeown, J. J., and Lyness, W. L.: Evidence for retention of the crystalline-amorphous ratio of cellulose during heterogeneous acid hydrolysis, 9
Mandelkern, L.: The dependence of the melting temperature of bulk homopolymers on the crystallization temperature, 494
Manley, R. St. J.: Crystallization of cellulose triacetate from solution, 509
Maron, S. H., and Nakajima, N.: A theory of the thermodynamic behavior of nonelectrolyte solutions. V. The scattering of light by polymer solutions, 157
——, and ——: A theory of the thermodynamic behavior of nonelectrolyte solutions. VI. Critical miscibility of polymer solutions, 169
Marvel, C. S.: see Dunphy, J. F.
Moore, W. R., and Edge, G. D.: Viscosity–temperature relationships for dilute solutions of cellulose derivatives. III. Solutions of an incompletely substituted cellulose nitrate, 469
Moulton, W. G.: see Barker, R. E., Jr.
Murakami, K.: see Tobolsky, A. V.
Myers, W. L.: see Goode, W. E.
Nakajima, N.: see Maron, S. H.
Newman, S.: On the characterization of stereoregular polymers. II. Polypropylene, 111
Nielsen, M. L.: see Stone, B. D.
Nitta, I: see Ohnishi, S.-I.
O'Driscoll, K. F.: Polymerization with redox initiators. IV. An explanation of the "retarder" action of dimethylaniline, 520
Ohnishi, S.-I., Ikeda, Y., Sugimoto, S.-I., and Nitta, I.: On the ESR singlet spectra frequently observed in irradiated polymers at a large dose, 503
Osborne, D. W.: see Dyer, E.
Osborne, R. J.: see Fontana, C. M.
Overberger, C. G., Borchert, A. E., and Katchman, A.: Crystalline polyvinylcyclopropane, polyvinylcyclopentane, and polyvinylcyclohexane (*erratum*), 541
Owens, F. H.: see Goode, W. E.
Padden, F. J., Jr.: see Khoury, F.
Papazian, L. A.: see Heller, W.
Passaglia, E., Yang, J. T., and Wegemer, N. J.: The non-Newtonian viscosity of polymers in relation to their molecular conformation, 333
Patterson, D.: see Delmas, G.
Peterlin, A.: Light scattering and small angle x-ray scattering by macromolecular coils with finite persistence length, 403
Price, C. C.: see Johnson, W. R.
Pugh, T. L., and Heller, W.: Coagulation and stabilization of colloidal solutions with polyelectrolytes, 219
——: see Heller, W.
Purcell, W. P., and Smyth, C. P.: Microwave absorption and molecular structure in liquids. XL. The dielectric relaxation of a polyester of 1,2-propylene glycol and adipic acid in solution, 321
Rosen, B.: Drift of the apparent swelling equilibrium in organic glasses, 525
——: Time-dependent tensile properties. Part II. Porosity of deformed glasses, 19
Sakamoto, M.: see Iwakura, S.
Sasisekharan, V.: Structural transformations in poly-L-proline, 373
——: Structural transformations in poly-L-hydroxyproline and poly-O-acetyl-L-hydroxyproline, 391
Schroeder, J.P., and Sopchak, W. P.: The reaction of phosphorus trichloride and oxygen with polymers, 417
Shields, D. J.: see Baker, C. W.
Skinner, E. R., and Kertesz, Z. I.: The effect of gamma radiation on the structure of pectin. An electrophoretic study, 99
Slonaker, D. F.: see Guillet, J. E.
Smyth, C. P.: see Purcell, W. P.
Sopchak, W. P.: see Schroeder, J. P.
Stone, B. D., Nielsen, M. L., Jenkins, R. L.: Polysulfide elastomer from the reaction of 1,5-pentanedithiol with thionyl chloride, 526
Sugimoto, S.-I.: see Ohnishi, S.-I.
Takayanagi, T.: see Inoue, M.
Teach, W. C.: see Lebovits, A.
Tiers, G. V. D., and Bovey, F. A.: Polymer NSR spectroscopy. IV. The stereochemical configuration of polymethacrylic anhydride, 479
Tobolsky, A. V., and Murakami, K.: Effect of polydispersity in polystyrene on stress relaxation, 55
Vandenberg, E. J.: High polymers from symmetrical disubstituted epoxides, 489
——: Organometallic catalysts for polymerizing monosubstituted epoxides, 485
Wada, E.: see Heller, W.
Wegemer, N. J.: see Passaglia, E.
White, E. F. T.: see Climie, I. E.
Wu, C.: see Kovacic, P.
Yang, J. T.: see Passaglia, E.

SUBJECT INDEX, VOLUME XLVII

Acetal resin, morphology, 65
Acid hydrolysis, heterogeneous, of cellulose, 9
Acrylic polymers, crystalline, mechanisms, 75
Acrylonitrile, in mixed solvents, in copolymers, 149
  interpolymerization with vinylidene chloride, 397
Anisotropic fluids, vorticity effect, 327
Benzene, and ferric chloride, reaction, 45
tert-Butyl alcohol, interpolymerization solvent, 397
Catalyst, polymerization, microscopical apparatus, 518
  organometallic, for monosubstituted epoxides, 486
  Ziegler-Natta, stereospecific polymerization, 522
Cellulose, crystalline-amorphous ratio during acid hydrolysis, 9
  dilute solutions of derivatives, viscosity–temperature, 469
Cellulose triacetate, crystallization, 509
Chain configuration, poly-*m*-methylstyrene, 491
Chromatographic fractionation, polyethylene, 307
Coiled macromolecules, light and x-ray scattering, 403
Colloidal solutions, coagulation and stabilization with polyelectrolytes, 219
  steric stabilization of, 203
Condensation polymers, size distribution and gelation, 435
Copolymerization, cationic, of vinyl 2-chloroethyl ether, 1
Copolymers, containing acrylonitrile in mixed solvents, random and block, 149
  random and block, aggregation, 149
Crystalline polymers, infrared spectra, polypropylene, 139
  acrylic, mechanism, 75
Crystallinity, of cellulose during acid hydrolysis, 9
Crystallite, polyethylene terephthalate film, x-ray determination, 289
Crystallization, bulk, kinetics in polyoxymethylene, 498
  cellulose triacetate, 509
Crystals, polyethylene twinned, growth habits, 455
  step height, and periodicity of solid polymers, 496
Deformation, finite, of solids, 251
Degradation, thermal, polythiolcarbamate, 349
  ultrasonic, of polystyrene, 229
Dimethylaniline, redox initiator, 520
Elastomer, from 1,5-pentanedithiol and thionyl chloride, 526
Electrophoresis, study of gamma radiation on pectin, 99
Epoxides, monosubstituted, catalysts for, 486
  symmetrical disubstituted, polymers from, 489
Epoxy resins, polymerized, dynamic mechanical properties, 237
ESR singlet spectra, irradiated polymers, 503
Ferric chloride, and benzene, reaction, 45
Fractionation, chromatographic, polyethylene, 307
Gamma radiation, effect on pectin structure, 99
Gelation, in condensation polymers, 435
Glasses, deformed, tensile properties, 19
  organic, swelling equilibrium, 525
Growth, twinned crystals of polyethylene, 455
Homopolymers, bulk, melting temperature, 494
Hydrolysis, acid, of cellulose, 9
  tacticity constants, 529
Interpolymerization, acrylonitrile and vinylidene chloride, 397
Ionic strength, viscosity of polyelectrolytes, 441
Irradiation, effects in Lexan, 175
Kinetics, bulk crystallization in polyoxymethylene, 498
Lexan, inadiation effects, 175
Light scattering, macromolecular coils, 403
  nonelectrolyte solutions, 157
  streaming solutions, 481
Lithium perchlorate, anhydrous, vinyl polymerization initiator, 259
Macromolecular shape, light scattering in streaming solutions, 481
Mechanical properties, dynamic, polymerized epoxy resins, 237
p-Methoxyphenol, as stabilizer of vinyl monomers, 498
Methyl methacrylate, effect of zinc chloride, spectroscopy, 480
Microscopic study of catalyst, apparatus, 518
Microwave absorption, liquids, 321
Miscibility, critical, of polymer solutions, 169
Molecular structure, liquids, 321
  non-Newtonian viscosity, 333
Molecular weight, polystyrene at low conversions, 527
Molecular weight distribution, condensation polymers, 435
  degraded fractions, 229
Monomers, vinyl, stabilized with *p*-methoxyphenol, 498
Nonelectrolyte solutions, thermodynamic behavior, 157, 169

NSR spectroscopy, effect of zinc chloride on methyl methacrylate, 480
polymethacrylic anhydride, 479
Osmometer, "all-glass," design, 507
Osmotic pressure, in polymer solutions, 91
Oxygen, and phosphorus trichloride, in reaction with polymers, 417
para-substituted α-methylstyrenes, in cationic copolymerization with vinyl 2-chloroethyl ether, 1
Pectin, gamma radiation effect on structure, 99
1,5-Pentanedithiol, and thionyl chloride, elastomer, 526
Periodicity, solid polymers, and crystal step height, 496
Phase relationships, and Guggenheim thermodynamics, 513
Phosphorus trichloride, and oxygen, reaction with polymers, 417
Poly-O-acetyl-L-hydroxyproline, structural transformations, 391
Polyaddition reaction, polymethylene bis-*N,N*,-ethyleneurethane and polymethylene dimercaptan, 277
Poly(*p*-dioxene), 517
Polydispersity, effect on stress relaxation, 55
Polyelectrolytes, coagulation and stabilization of colloidal solutions, 219
ionic strength and viscosity, 441
Polyethylene, chromatographic fractionation, 307
finite deformation and tensile strength, 251
growth habits of twinned crystals, 455
terephthalate film, x-ray determination of crystallite, 289
Poly-L-hydroxyproline, structural transformations, 391
Poly(*n*-lauryl methacrylate) in an ideal solvent, 449
Polymethacrylic anhydride, stereochemical configuration, 479
Polymethyl isopropenyl ketone, radiolysis, 267
Polyoxymethylene, bulk crystallization, 498
dimercaptan, polyaddition reaction, 277
bis, *N,N*-ethylene urethane, polyaddition reaction, 277
Poly-*m*-methylstyrene, chain configuration, 491
Poly-L-proline, structural transformations, 373
Polypropylene, characterization, 111
deuterated, stretching frequencies, 139
Polystyrene, finite deformation and tensile strength, 251
molecular weight at low conversions, 527
polydispersity and stress relaxation, 55
ultrasonic degradation, 229
Polythiolcarbamate, synthesis, 361
thermal degradation, 349
Polyvinylcyclohexane, crystalline (*erratum*), 541
Polyvinylcyclopentane, crystalline (*erratum*), 541
Polyvinylcyclopropane, crystalline (*erratum*), 541
Poly(vinyl pyrrolidone), and cosolutes, 193
Poly(vinyl sulfonic acid), aqueous solutions of salts, 29
Propylene glycol, polyester, dielectric relaxation, 321
Radiolysis, polymethyl isopropenyl ketone, 267
Redox initiators, dimethylaniline, 520
Relaxation, dielectric, polyester in solution, 321
Resin, acetal, morphology, 65
polymerized epoxy, dynamic mechanical properties, 237
Salts, aqueous solutions, poly(vinyl sulfonic acid), 29
Shear degradation, vinyl polymers in dilute solution (*erratum*), 541
Solutions, nonelectrolyte polymers, light scattering, 157
phase relationships, Guggenheim thermodynamics, 513
poly(*n*-lauryl methacrylate), 449
polymer, critical miscibility, 169
osmotic pressure, 91
volume effects, 484
streaming, light scattering, 481
Spectra, ESR singlet, irradiated polymers, 503
stretching frequencies of polypropylenes, 139
Spectroscopy, NSR, effect of zinc chloride on methyl methacrylate, 480
polymethacrylic anhydride, 479
Stabilization, steric, colloidal solutions, 203
Step height, single crystals, and solid polymer periodicity, 496
Stereoregular polymers, infrared spectra, polypropylene, 139
polypropylene, 111
Stereospecific polymerization, Ziegler-Natta catalyst, 518
Stress relaxation, effect of, 55
Structural transformations, poly-L-hydroxyproline and poly-O-acetyl-L-hydroxyproline, 391
poly-L-proline, 373
Swelling equilibrium, organic glasses, 525
Tacticity constants, from hydrolytic measurements, 529
Temperature, crystallization, bulk homopolymers, 494
melting, bulk homopolymers, 494
viscosity relationships, cellulose derivatives, 469
Tensile properties, porosity of deformed glasses, 19
strength of solids, 251
Thermal degradation, polythiolcarbamate, 349
Thermodynamics, Guggenheim, solution phase relationships, 513
nonelectrolyte solutions, 157, 169
Thionyl chloride, with 1,5-pentanedithiol, elastomer, 526
Ultrasonic degradation, of polystyrene, 229

Vinyl alkyl ethers, in cationic copolymerization with vinyl 2-chloroethyl ether, 1
Vinyl 2-chloroethyl ether, in cationic copolymerization, 1
Vinyl monomers, stabilized with *p*-methoxyphenol, 498
Vinyl polymers, shear degradation (*erratum*), 541
Vinyl polymerization, anhydrous Lithium perchlorate initiator, 259
Vinylidene chloride, interpolymerization with acrylonitrile, 397
Viscosity, non-Newtonian, 333
  polyelectrolytes, affected by ionic strength, 441
  temperature relationships, cellulose derivatives, 469
Volume, effects in polymer solutions, 484
Vorticity effect, anisotropic fluids, 327
X-ray determination, crystallites of polyethylene terephthalate, 289
X-ray scattering, macromolecular coils, 403